


# **5PCS ENT Frazier Suction Tubes**





## INTRODUCTION

Dental Instruments has been built-up since 1940, Systematically, uncompromisingly and precisely. A second outcome is quality with the greater pace of technological advancement, and our deeper Commitment to it. Quality is our watchword. We pursue it relentlessly from development through production to service and customer support. Precision is a very important factor in our process. We view precision not only in terms of manufacturing, but also in whole surgical procedure as an integrated system. Hence to develop the function more precisely, we share expertise opinion. All instruments are hand-crafted and minor deviation in size and weight may occur which does not effect the function and reliability of an instrument.

# ACKNOWLEDGE EXPERTISE AND QUALITY BUILDING ON EXPERIENCE

Qulity is not an accident; it is achieved as a result of Continuous efforts, new in-puts to system and human recources. Quality requires a solid foundation through expertise of the people who work for us. That's why we put emphasis in production and training.

### QUALITY STANDARDIZATION

Whatever your demands are, all instruments are precisely and clearly recorded to your stated & implied requirements. Our Quality Assurance Department has developed and documented standard operating procedures, standing work instructions, quality plans & standard device master record. Our Research and Development (R&D) department is busy in designing the instruments as per the requirements of market and quality assurance standards; all specification, measurements and other data are registered in log books for Quality Assurance and other quality systems.



# FOCUS ON THE FUTURE

#### OUR CORPORATE GOAL:

The world is shrinking, and in response, we are growing, With our staff, workforce, customers and our patrons, by extending out product range, methods, which is evident through our presence across the globe. We find solutions for particular application problems throughout The world. We will gladly develop with you, refining ourselves to the standards you would expect for **Technical Zone.** 

## **OUR COMMITMENT IS TO:**

- Rise to the challenge of particular demanding standards.
- Development and manufacturing from samples or drawings.
- Selection of appropriate materials.
- Mechanical & Chemical properties are carefully maintained through Boil test, Copper-sulfate test to characterize the material to indicate corrosion.
- Passivation and other Chemical treatment are carried out to prevent from discoloration or rust.
- Technical drawings with measurements for all instruments.



26

Suction Instruments



#### **Vacuum Curettes for Aspiration Lipectomy**



**26-106 Ø**14 mm Curettes for aspiration lipectomy, graduated, silghtly curved 26-107 - 108
BIEMER
26-107 # 4 mm
26-108 # 6 mm
Curettes for aspiration lipectomy, with three apertures, slighty curved malleable

BIEMER
26-109 # 8 mm
26-110 #10 mm
26-111 #12 mm
Curettes for aspiration lipectomy, with three apertures, slighty curved

malleable

26-112
For aspirating fluid from the excretory ducts of large glands and for keeping the operating area clear 170 mm

26-113 Trocar For puncturing 150 mm



**26-114**For clearing large quantities of fluid 190 mm





26-115 Trocar For puncturing 170 mm



26-116 Hollow needle, sharp 150 mm



26-117 double curved For general surgery 230 mm



26-118 For tonsillectomy, oral and laryngeal operations 190 mm



**Ø**11 mm

26-119 For tonsillectomy, oral and laryngeal operations 220 mm



**26-120** For tonsillectomy, oral-and laryngeal operations 180 mm

26-121 Suction cannula for tonsillectomy, oral-and laryngeal operations 220 mm

26-122
S-shaped blunt cannula for aspirating fluid from the excretory ducts of large glands and for keeping the operations area clear 170 mm

26-123 POOL Suction cannula, with outer tube to be screwed of 225 mm

26-124 POOL Suction cannula, with outer tube to be screwed of 225 mm





26-125 YANKAUER with especially large central bore, 4,8 mm diam. 285 mm

26-126 YANKAUER with central bore, 2,0 mm diam. 285 mm


26-127 DE-BAKEY with central bore, 3,0 mm diam.with lateral slots 275 mm

26-128
DE-BAKEY
with finger cut-off
and stylet
270 mm

26-129 DE-BAKEY with finger cut-off and stylet 160 mm

26-130 with finger off cut-off 190 mm

# Zechnical Zone



180 mm

26-131 - 134 PLESTER with finger cut-off and stylet, thumb piece parallel to curved, with LUER hub 195 mm



FERGUSSON

with finger cut-off and

stylet, thumb piece

26-146 **GORNEY** Suction dissector 180 mm



26-143 5,0 mm diam., Tip 6,5 mm wide, Nasal suction tube, with LUER hub 180 mm

**26-144 Ø**4,5 mm **26-145 Ø**5,5 mm Nasal suction tubes 175 mm

**26-147** 4 mm wide **26-148** 5 mm wide Suction raspatories, sharp, bayonet-shaped, with styelt 200 mm

LOPEZ-REINKE Tonsil dissector with suction device 235 mm

